

Township N. 8. Range E. 12. East

Sectional corners described

Quarter section corners continued

Section	Corner	Distance	Quality	Section	Corner	Distance	Quality	Section	Corner	Distance	Quality	
A	North	7.1 49 1/2	7	24 25 26 27	North	0.1 50 0	18	J to X at	1	1/2	12 1/2 48 0	28
a	North	5.1 42 0	19	28 29 30 31	North	7.1 70 0	19		2	1/2	12 1/2 48 0	18
B	North	5.1 17 1/2	23	32 33 34 35	North	14.1 11 1/2	18		3	1/2	12 1/2 48 0	11
b	North	0.1 30 0	10	36 37 38 39	North	17.1 31 0	27		4	1/2	12 1/2 48 0	20
C				40 41 42 43	North	18.1 30 0	16		5	1/2	12 1/2 48 0	18
c				44 45 46 47	North	19.1 29 0	11		6	1/2	12 1/2 48 0	9
D	North	10.1 49 1/2	9	48 49 50 51	North	20.1 28 0	6		7	1/2	12 1/2 48 0	10
d	North	11.1 51 0	10	52 53 54 55	North	21.1 27 0	15		8	1/2	12 1/2 48 0	17
E	North	12.1 50 1/2	9	56 57 58 59	North	22.1 26 0	10		9	1/2	12 1/2 48 0	12
e	North	13.1 50 1/2	9	60 61 62 63	North	23.1 25 0	11		10	1/2	12 1/2 48 0	11
F	North	14.1 49 1/2	9	64 65 66 67	North	24.1 24 0	12		11	1/2	12 1/2 48 0	10
f	North	15.1 48 1/2	0	68 69 70 71	North	25.1 23 0	13		12	1/2	12 1/2 48 0	9
G	North	16.1 47 1/2	10	72 73 74 75	North	26.1 22 0	14		13	1/2	12 1/2 48 0	8
g	North	17.1 46 1/2	11	76 77 78 79	North	27.1 21 0	15		14	1/2	12 1/2 48 0	7
H	North	18.1 45 1/2	12	80 81 82 83	North	28.1 20 0	16		15	1/2	12 1/2 48 0	6
h	North	19.1 44 1/2	13	84 85 86 87	North	29.1 19 0	17		16	1/2	12 1/2 48 0	5
I	North	20.1 43 1/2	14	88 89 90 91	North	30.1 18 0	18		17	1/2	12 1/2 48 0	4
i	North	21.1 42 1/2	15	92 93 94 95	North	31.1 17 0	19		18	1/2	12 1/2 48 0	3
K	North	22.1 41 1/2	16	96 97 98 99	North	32.1 16 0	20		19	1/2	12 1/2 48 0	2
k	North	23.1 40 1/2	17	100 101 102 103	North	33.1 15 0	21		20	1/2	12 1/2 48 0	1
L	North	24.1 39 1/2	18	104 105 106 107	North	34.1 14 0	22		21	1/2	12 1/2 48 0	0
l	North	25.1 38 1/2	19	108 109 110 111	North	35.1 13 0	23		22	1/2	12 1/2 48 0	0
M	North	26.1 37 1/2	20	112 113 114 115	North	36.1 12 0	24		23	1/2	12 1/2 48 0	0
m	North	27.1 36 1/2	21	116 117 118 119	North	37.1 11 0	25		24	1/2	12 1/2 48 0	0
n	North	28.1 35 1/2	22	120 121 122 123	North	38.1 10 0	26		25	1/2	12 1/2 48 0	0
o	North	29.1 34 1/2	23	124 125 126 127	North	39.1 9 0	27		26	1/2	12 1/2 48 0	0
P	North	30.1 33 1/2	24	128 129 130 131	North	40.1 8 0	28		27	1/2	12 1/2 48 0	0
p	North	31.1 32 1/2	25	132 133 134 135	North	41.1 7 0	29		28	1/2	12 1/2 48 0	0
Q	North	32.1 31 1/2	26	136 137 138 139	North	42.1 6 0	30		29	1/2	12 1/2 48 0	0
q	North	33.1 30 1/2	27	140 141 142 143	North	43.1 5 0	31		30	1/2	12 1/2 48 0	0
R	North	34.1 29 1/2	28	144 145 146 147	North	44.1 4 0	32		31	1/2	12 1/2 48 0	0
r	North	35.1 28 1/2	29	148 149 150 151	North	45.1 3 0	33		32	1/2	12 1/2 48 0	0
S	North	36.1 27 1/2	30	152 153 154 155	North	46.1 2 0	34		33	1/2	12 1/2 48 0	0
s	North	37.1 26 1/2	31	156 157 158 159	North	47.1 1 0	35		34	1/2	12 1/2 48 0	0
T	North	38.1 25 1/2	32	160 161 162 163	North	48.1 0 0	36		35	1/2	12 1/2 48 0	0
t	North	39.1 24 1/2	33	164 165 166 167	North	49.1 0 0	37		36	1/2	12 1/2 48 0	0
U	North	40.1 23 1/2	34	168 169 170 171	North	50.1 0 0	38		37	1/2	12 1/2 48 0	0
u	North	41.1 22 1/2	35	172 173 174 175	North	51.1 0 0	39		38	1/2	12 1/2 48 0	0
V	North	42.1 21 1/2	36	176 177 178 179	North	52.1 0 0	40		39	1/2	12 1/2 48 0	0
v	North	43.1 20 1/2	37	180 181 182 183	North	53.1 0 0	41		40	1/2	12 1/2 48 0	0
W	North	44.1 19 1/2	38	184 185 186 187	North	54.1 0 0	42		41	1/2	12 1/2 48 0	0
w	North	45.1 18 1/2	39	188 189 190 191	North	55.1 0 0	43		42	1/2	12 1/2 48 0	0
X	North	46.1 17 1/2	40	192 193 194 195	North	56.1 0 0	44		43	1/2	12 1/2 48 0	0
x	North	47.1 16 1/2	41	196 197 198 199	North	57.1 0 0	45		44	1/2	12 1/2 48 0	0
Y	North	48.1 15 1/2	42	200 201 202 203	North	58.1 0 0	46		45	1/2	12 1/2 48 0	0
y	North	49.1 14 1/2	43	204 205 206 207	North	59.1 0 0	47		46	1/2	12 1/2 48 0	0
	North	50.1 13 1/2	44	208 209 210 211	North	60.1 0 0	48		47	1/2	12 1/2 48 0	0

Section	Corner	Distance	Quality	Section	Corner	Distance	Quality	Section	Corner	Distance	Quality
24 25 26 27	North	0.1 50 0	18	J to X at	1	1/2	12 1/2 48 0	28			
28 29 30 31	North	7.1 70 0	19		2	1/2	12 1/2 48 0	18			
32 33 34 35	North	14.1 11 1/2	18		3	1/2	12 1/2 48 0	11			
36 37 38 39	North	17.1 31 0	27		4	1/2	12 1/2 48 0	20			
40 41 42 43	North	18.1 30 0	16		5	1/2	12 1/2 48 0	18			
44 45 46 47	North	19.1 29 0	11		6	1/2	12 1/2 48 0	9			
48 49 50 51	North	20.1 28 0	6		7	1/2	12 1/2 48 0	10			
52 53 54 55	North	21.1 27 0	15		8	1/2	12 1/2 48 0	17			
56 57 58 59	North	22.1 26 0	10		9	1/2	12 1/2 48 0	12			
60 61 62 63	North	23.1 25 0	11		10	1/2	12 1/2 48 0	11			
64 65 66 67	North	24.1 24 0	12		11	1/2	12 1/2 48 0	10			
68 69 70 71	North	25.1 23 0	13		12	1/2	12 1/2 48 0	9			
72 73 74 75	North	26.1 22 0	14		13	1/2	12 1/2 48 0	8			
76 77 78 79	North	27.1 21 0	15		14	1/2	12 1/2 48 0	7			
80 81 82 83	North	28.1 20 0	16		15	1/2	12 1/2 48 0	6			
84 85 86 87	North	29.1 19 0	17		16	1/2	12 1/2 48 0	5			
88 89 90 91	North	30.1 18 0	18		17	1/2	12 1/2 48 0	4			
92 93 94 95	North	31.1 17 0	19		18	1/2	12 1/2 48 0	3			
96 97 98 99	North	32.1 16 0	20		19	1/2	12 1/2 48 0	2			
100 101 102 103	North	33.1 15 0	21		20	1/2	12 1/2 48 0	1			
104 105 106 107	North	34.1 14 0	22		21	1/2	12 1/2 48 0	0			
108 109 110 111	North	35.1 13 0	23		22	1/2	12 1/2 48 0	0			
112 113 114 115	North	36.1 12 0	24		23	1/2	12 1/2 48 0	0			
116 117 118 119	North	37.1 11 0	25		24	1/2	12 1/2 48 0	0			
120 121 122 123	North	38.1 10 0	26		25	1/2	12 1/2 48 0	0			
124 125 126 127	North	39.1 9 0	27		26	1/2	12 1/2 48 0	0			
128 129 130 131	North	40.1 8 0	28		27	1/2	12 1/2 48 0	0			
132 133 134 135	North	41.1 7 0	29		28	1/2	12 1/2 48 0	0			
136 137 138 139	North	42.1 6 0	30		29	1/2	12 1/2 48 0	0			
140 141 142 143	North	43.1 5 0	31		30	1/2	12 1/2 48 0	0			
144 145 146 147	North	44.1 4 0	32		31	1/2	12 1/2 48 0	0			
148 149 150 151	North	45.1 3 0	33		32	1/2	12 1/2 48 0	0			
152 153 154 155	North	46.1 2 0	34		33	1/2	12 1/2 48 0	0			
156 157 158 159	North	47.1 1 0	35		34	1/2	12 1/2 48 0	0			
160 161 162 163	North	48.1 0 0	36		35	1/2	12 1/2 48 0	0			
164 165 166 167	North	49.1 0 0	37		36	1/2	12 1/2 48 0	0			
168 169 170 171	North	50.1 0 0	38		37	1/2	12 1/2 48 0	0			
172 173 174 175	North	51.1 0 0	39		38	1/2	12 1/2 48 0	0			
176 177 178 179	North	52.1 0 0	40		39	1/2	12 1/2 48 0	0			
180 181 182 183	North	53.1 0 0	41		40	1/2	12 1/2 48 0	0			
184 185 186 187	North	54.1 0 0	42		41	1/2	12 1/2 48 0	0			
188 189 190 191	North	55.1 0 0	43		42	1/2	12 1/2 48 0	0			
192 193 194 195	North	56.1 0 0	44		43	1/2	12 1/2 48 0	0			
196 197 198 199	North	57.1 0 0	45		44	1/2	12 1/2 48 0	0			
200 201 202 203	North	58.1 0 0	46		45	1/2	12 1/2 48 0	0			
204 205 206 207	North	59.1 0 0	47		46	1/2	12 1/2 48 0	0			
208 209 210 211	North	60.1 0 0	48		47	1/2	12 1/2 48 0	0			

Section	Corner	Distance	Quality	Section	Corner	Distance	Quality	Section	Corner	Distance	Quality
24 25 26 27	North	0.1 50 0	18	J to X at	1	1/2	12 1/2 48 0	28			
28 29 30 31	North	7.1 70 0	19		2	1/2	12 1/2 48 0	18			
32 33 34 35	North	14.1 11 1/2	18		3	1/2	12 1/2 48 0	11			
36 37 38 39	North	17.1 31 0	27		4	1/2	12 1/2 48 0	20			
40 41 42 43	North	18.1 30 0	16		5	1/2	12 1/2 48 0	18			
44 45 46 47	North	19.1 29 0	11		6	1/2	12 1/2 48 0	9			
48 49 50 51	North	20.1 28 0	6		7	1/2	12 1/2 48 0	10			
52 53 54 55	North	21.1 27 0	15		8	1/2	12 1/2 48 0	17			
56 57 58 59	North	22.1 26 0	10		9	1/2	12 1/2 48 0	12			
60 61 62 63	North	23.1 25 0	11		10	1/2	12 1/2 48 0	11			
64 65 66 67	North	24.1 24 0	12		11	1/2	12 1/2 48 0	10			
68 69 70 71	North	25.1 23 0	13		12	1/2	12 1/2 48 0	9			
72 73 74 75	North	26.1 22 0	14		13	1/2	12 1/2 48 0	8			
76 77 78 79	North	27.1 21 0	15		14	1/2	12 1/2 48 0	7			
80 81 82 83	North	28.1 20 0	16		15	1/2	12 1/2 48 0	6			
84 85 86 87	North	29.1 19 0	17		16	1/2					

Indiana
HQ

Township No. 8 North, Range No. 12 East. 2PM 1870, 19

Whereas to a Contract with & Instructions from Isaac H. Mayfield, Surveyor General of the United States bearing date the day of
 we have measured laid out & surveyed the above described township; and do hereby certify that it had natural & bounds both material & artificial as represented
 said plat & described in the field note made being & returned with this plat into the Surveyor General's Office
 Certified this day of

True Copy
 Isaac H. Mayfield
 Surveyor General

